

Calcium+, KH/Alkalinity & Magnesium Foundation supplements complete starter pack

Page 1 of 10

Date of issue: 06/08/2015 Date of revision: 21/11/18 Version no.: 2

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier 1.1**

Product name: Calcium+, KH/Alkalinity & Magnesium Foundation supplements complete

starter pack

Product code: R22006

#### Relevant identified uses of the substance or mixture and uses advised against 1.2

. Aquarium water supplement

# Details of the supplier of the safety data sheet 1.3

Red Sea Fish Pharm Ltd Free Trade Industrial Zone Eilat 88000 Israel

Tel: +972-9-9567107

E-mail address of person responsible for this SDS: <a href="mailto:sharonr@redseafish.co.il">sharonr@redseafish.co.il</a>

#### **Emergency telephone number 1.4**

Emergency telephone number (with hours of operation): N/A

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Classification according to 29 CFR 1910.1200 (OSHA HCS Eye Dam. 1 H319

Classification in accordance to Regulation (EC) No. 1272/2008 (CLP): Eye Dam. 1 H319

See section 16 for the full text of the H-statements declared above.

# 2.2 Label elements

Calcium+ (Foundation A)

# Labelling according to 29 CFR 1910.1200 (OSHA HCS)

<u>Hazard pictogram(s):</u>



Signal word: Warning

#### :(Hazard statemens)

H319: Causes serious eye irritation

# Precautionary Statement(s):

P102: Keep out of reach of children.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if



Calcium+, KH/Alkalinity & Magnesium Foundation supplements complete starter pack

Page 2 of 10

present and easy to do. Continue rinsing. P310: Immediately call a POISON Center or doctor/physician.

<u>Labelling in accordance with Regulation</u> 1272/2008(CLP)

Hazard pictogram(s):



Signal word: Warning

:(Hazard statement(s

. H319: Causes serious eye irritation

Precautionary Statement(s):

P102: Keep out of reach of children.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON Center or doctor/physician.

# KH/Alkalinity (Foundation B)

# <u>Labeling according to 29 CFR 1910.1200 (OSHA HCS)</u> <u>Hazard pictogram(s):</u>



Signal word: Warning

:(Hazard statements)

H319: Causes serious eye irritation

Precautionary Statement(s):

P102: Keep out of reach of children.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if

present and easy to do. Continue rinsing.

P310: Immediately call a POISON Center or doctor/physician.

<u>Labelling in accordance with Regulation 1272/2008 (CLP)</u> Hazard pictogram(s):



Signal word: Warning



# Calcium+, KH/Alkalinity & Magnesium Foundation supplements complete starter pack

Page 3 of 10

# :(Hazard statement(s

. H319: Causes serious eye irritation

# Precautionary Statement(s):

P102: Keep out of reach of children.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON Center or doctor/physician.

# Magnesium (Foundation C)

# Labelling according to 29 CFR 1910.1200 (OSHA HCS)

Hazard pictogram(s): Not required

Signal word: Not required

Hazard statement(s): Not required

Precautionary Statement(s): Not required

# Labelling in accordance with Regulation 1272/2008 (CLP)

Hazard pictogram(s): Not required

Signal word: Not required

Hazard statement(s): Not required

Precautionary Statement(s): Not required

# 2.3 Other hazard

Not available

# **SECTION 3: Composition/information on ingredients**

# 3.2 Mixtures:

# Calcium + (Foundation A)

Substance name	Identifiers	%	CLP/GHS Classification	OSHA HCS
Calcium chloride	CAS number: 10043-52-4 EC number: 233-140-8	20-25	Eye Irrit. 2 H319	Eye Irrit. 2A H319
Strontium chloride	CAS number: 10476-85-4 EC number: 233-971-6	1	Eye Dam. 1 H318 STOT SE 3 H335 Skin Irrit. 2 H315	Eye Dam. 1 H318 STOT SE 3 H335 Skin Irrit. 2 H315 Aquatic Acute 3 H402

### KH/Alkalinity (Foundation B)

Substance name	Identifiers	%	CLP Classification	OSHA HCS Classification
Sodium carbonate	CAS number: 497-19-8 EC number: 207-838-8	10-25	Eye Irrit. 2 H319	Eye Irrit. 2A H319
Potassium carbonate	CAS number: 584-08-7 EC number: 209-529-3	1-5	Acute Tox. 4 H302 Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H335	Acute Tox. 4 H302 Skin Irrit. 2 H315 Eye Irrit. 2A H319 STOT SE 3 H335

See section 16 for the full text of the H-statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the



Calcium+, KH/Alkalinity & Magnesium Foundation supplements complete starter pack

Page 4 of 10

environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in section 8.

#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

**Eyes contact:** In case of contact with eyes, rinse immediately with plenty of water for at least

15 minutes. Get medical attention.

**Skin contact:** Take off contaminated clothing and shoes immediately. Wash off with soap and

plenty of water. Get medical attention.

**Inhalation:** Remove the victim from site of exposure to fresh air. If breathing is difficult, give

oxygen. If not breathing give artificial respiration. Get medical attention.

**Ingestion:** Do not induce vomiting. If victim is conscious, wash mouth thoroughly with plenty of

water. Never give anything by mouth to an unconscious person. Get medicalattention.

#### 4.2 Most important symptoms and effects, both acute and delayed

See section 2.2 (Label elements) and/or section 11 (Toxicological information) for the most important known symptoms and effects.

# 4.3 Indication of any immediate medical attention and special treatment needed

Not available

# **SECTION 5: Fire-fighting measures**

# 5.1 Extinguishing media

<u>Suitable</u>: Use extinguishing media suitable to the surroundings such as, dry chemical powder, chemical foam, water spray and carbon dioxide.

Not suitable: N/A

#### 5.2 Special hazards arising from the substance or mixture

Not combustible. When heated sufficiently, product may decompose to form smoke and toxic fumes, gases or vapours that may cause dizziness. Toxic fumes such as hydrogen chloride, strontium and calcium oxides may be evolved on thermal decomposition.

# 5.3 Advice for firefighters

**Special protective equipment for fire fighters:** Fire fighters should wear full protective clothing and self-contained breathing apparatus in positive pressure mode.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Ventilate area of spill.

#### **6.2 Environmental precautions**

Prevent entry into waterways, sewers, basements or confined areas.

### 6.3 Methods and materials for containment and cleaning up

Pick up and place in a suitable container for reclamation or disposal, using a method that does not generate dust.



Calcium+, KH/Alkalinity & Magnesium Foundation supplements complete starter pack

Page 5 of 10

#### 6.4 Reference to other sections

See Section 1 for emergency contact information.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapors, mist or gas. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also section 8 for additional information measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

**Storage:** Keep only in original container. Avoid large temperature changes and store in a cool, dry, well ventilated environment and away from direct sunlight. Keep containers closed when not in use. Keep away from strong acids, strong oxidizing agents, borane/boron oxides, zinc, calcium oxide, methyl vinyl ether.

7.3 Specific end use(s): N/A

#### **SECTION 8: Exposure control/personal protection**

# 8.1 Control parameters

Occupational exposure limits: N/A

# **8.2 Exposure controls**

#### Engineering measures

Use process enclosures, local exhaust ventilation, or others engineering controls to keep airborne levels below recommend exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

### Person protective measures

<u>Respiratory protection:</u> Disposable particulate mask. Be sure to use an approved/certified equipment or equivalent equipment. Wear appropriate respirator when ventilation is inadequate.

Hand protection: Wear protective gloves to prevent skin exposure. Eye

protection: Wear protective safety glasses.

Skin protection: Wear appropriate long-sleeved clothing to minimize skin contact.

During normal non-professional use of the chemical kit no personal protective equipment is required. However, in case of manufacture or spillage, use as appropriate to the size of the spill.

Environmental exposure controls: Not available

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Calcium +(Foundation A)

Appearance: Clear liquid

Odour: none

Odour threshold: N/A pH:

N/A



Calcium+, KH/Alkalinity & Magnesium Foundation supplements complete starter pack

Page 6 of 10

Melting point/Freezing point: N/A Initial boiling point/boiling range: N/A Flash

point: N/A

Evaporation rate: N/A Flammability

non-combustible

Upper/lower flammability or explosive limits: N/A Vapor

pressure: N/A

Vapor density: N/A Relative

Density: N/A

Solubility(ies): completely soluble in water Partition coefficient Octanol/Water: N/A

Auto-ignition temperature: N/A Decomposition temperature: N/A

Viscosity: N/A

Explosive properties: N/A Oxidizing properties: N/A

# KH/Alkalinity (Foundation B)

Appearance: Clear liquid

Odour: none

Odour threshold: N/A pH:

N/A

Melting point/Freezing point: N/A Initial boiling point/boiling range: N/A Flash

point: N/A

Evaporation rate: N/A Flammability:

non-combustible

Upper/lower flammability or explosive limits: N/A Vapor

pressure: N/A

Vapor density: N/A Relative

Density: N/A

Solubility(ies): completely soluble in water Partition coefficient Octanol/Water: N/A

Auto-ignition temperature: N/A Decomposition temperature: N/A

Viscosity: N/A

Explosive properties: N/A Oxidizing properties: N/A

#### Magnesium (Foundation C)

Appearance: Clear liquid

Odour: none

Odour threshold: N/A pH:

N/A

Melting point/Freezing point: N/A Initial boiling point/boiling range: N/A Flash

point: N/A

Evaporation rate: N/A Flammability:

non-combustible

Upper/lower flammability or explosive limits: N/A Vapor

pressure: N/A

Vapor density: N/A Relative

Density: N/A

Solubility(ies): completely soluble in water Partition coefficient Octanol/Water: N/A

Auto-ignition temperature: N/A Decomposition temperature: N/A

Viscosity: N/A



Calcium+, KH/Alkalinity & Magnesium Foundation supplements complete starter pack

Page 7 of 10

Explosive properties: N/A Oxidizing properties: N/A

# 9.2 Other information

Not available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not available.

#### 10.2 Chemical stability

The product is stable under normal handling and storage conditions described in Section 7.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions are not expected, under normal conditions of storage and use.

#### 10.4 Conditions to avoid

Long term exposure to heat and direct sunlight.

# 10.5 Incompatible materials

Strong acids, strong oxidizing agents, borane/boron oxides, zinc, calcium oxide, methyl vinyl ether.

# 10.6 Hazardous decomposition products

Other decomposition products: not available

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Acute toxicity:

Calcium +(Foundation A)

Product/substance name	Test	Species	Dose
Calcium chloride	LD50, Oral	Rat	1000 mg/kg
Strontium chloride	LD50, Oral	Rat	1796 mg/kg

# KH/Alkalinity (Foundation B)

Product/substance name	Test	Species	Dose
Sodium carbonate	LD50, Oral LC50, Inhalation	Rat Rat	4090 mg/kg 2300 mg/m <sup>3</sup> /2H
Potassium carbonate	LD50, Oral	Rat	1870 mg/kg

Skin corrosion/irritation: Not available

<u>Serious eye damage/irritation:</u> The preparation contains a reasonable amount of Calcium chloride as well as a small amount of Strontium chloride which in combination can cause irritating effects when in contact with tissue of the eyes and possibly the skin. Inhalation of dust may also irritate the respiratory system .and ingestion may damage the linings of the mouth, throat and gastro-intestinal tract

Respiratory or skin sensitization: No compounds present in the preparation have been identified as having . sensitizing properties

Germ cell mutagenicity: No compounds present in the preparation have been identified as having



Calcium+, KH/Alkalinity & Magnesium Foundation supplements complete starter pack

Page 8 of 10

. mutagenic properties

<u>Carcinogenicity</u>: No compounds present in the preparation have been identified as having carcinogenic .properties.

<u>Reproductive toxicity</u>: No compounds present in the preparation have been identified as having reproductive toxicity properties.

Specific target organ toxicity (single exposure): Not available

Specific target organ toxicity (repeated exposure): Not available

Aspiration hazard: Not available

# Other effect:

The preparation contains a small amount (<0.01%) of a compound which is classified as being toxic. Can cause irritating effects when comes in contact with tissue of the eyes and possibly the skin. Inhalation of spray or mist may also irritate the respiratory system and ingestion may damage the linings of the mouth, throat and gastro-intestinal tract.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product/substance	Toxicity to fish	Toxicity to crustaceans
name		
Strontium chloride	LC50/96h (Morone saxatilis) >92.8 mg/L	LC50/48h (Daphnia hyalina) 75 mg/L

#### 12.2 Persistence and Degradability

Not all of the compounds present in the preparation would be readily biodegradable in the environment.

# 12.3 Bioaccumulative potential

Not available

#### 12.4 Mobility in soil

Though there is no specific information on the mobility of compounds in the preparation, they are soluble under normal environmental conditions in water so would also be expected to be highly mobile in soil.

### 12.5 Results of PBT and vPvB assessment

Not available

#### 12.6 Other adverse effects

Not available

#### **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

#### **Product**

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

#### **Packing**

Empty containers should be taken for local recycling, recovery or waste disposal.

Calcium+, KH/Alkalinity & Magnesium Foundation supplements complete starter pack

Page 9 of 10

**SECTION 14: Transport information** 

14.1 Un number

ADR/RID: - IMDG: - IATA: - DOT (US): -

14.2 UN proper shipping name

ADR/RID: Not regulated

IMDG: Not regulated

IATA: Not regulated

DOT (US): Not regulated

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: - DOT (US): -

14.4 Packing group

ADR/RID: - IMDG: - IATA: - DOT (US): -

14.5 Environmental hazard

ADR/RID: - IMDG: - IATA: - DOT (US): -

14.6 Special precautions for user

Not available

14.7 Transport to bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not available

# **SECTION 15: Regulatory information**

This SDS complies with the following requirements of: EU Directives 67/548/EEC (DSD) and 1999/45/EC (DPD), including amendments EU Regulation (EC) No.1907/2006 (REACH) including amendments Regulation (EC) No.1272/2008 (CLP) 29 CFR 1910.1200 (OSHA HCS)

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

TSCA inventory

Calcium chloride CAS 10043-52-4 Strontium chloride CAS 10476-85-4

# 15.2 Chemical safety assessment

Not available



Calcium+, KH/Alkalinity & Magnesium Foundation supplements complete starter pack

Page 10 of 10

#### **SECTION 16: Other information**

**NFPA Rating** 

Health hazard: 2 Fire Hazard: 0 Reactivity Hazard: 0

# Full text of Hazards Statements referred to in sections 2 and 3:

Eye Irrit.- Eye irritation

Eye Dam. - Serious eye damage

Skin Irrit. - Skin irritation

STOT SE - Specific target organ toxicity — single exposure

Aquatic Acute - Hazardous to the aquatic environment

H315: Causes skin irritation.

H318: Causes serious eve damage.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

H402: Harmful to aquatic life.

Training advice: Before using/handling the product one must read carefully present SDS.

### **Key Legend Information:**

CAS - Chemical Abstract Service

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NTP - National Toxicology program

IARC - International Agency for Research on Cancer

N/A - Not available

R-phrases- Risk phrases

H-statements- Hazard statements

TLV - Threshold Limit Value

TWA - Time-weighted average

STEL - Short-Term Exposure Limit

CSA - Chemical safety assessment

Date of issue: 06/08/2015

Version no.: 1

This SDS and the information presented within it are based on data held by Hazmat, Ltd. and the current legislation as at the date stated on it. Anyone wishing to make use of the information presented within this document is obligated to update its instructions from time to time. The information presented in the SDS is based on the manufacturer's data and/ or the supplier of the substance/ product which is the subject of this SDS, as provided to Hazmat, Ltd. by the client and in the absence of such data the information was taken from a variety of literary professional sources. The information presented in this SDS is appropriate for the uses specified in paragraph 1 of the SDS only. It is emphasized, that the information specified in this SDS does not replace specific safety instructions for uses of the substance/ product which is the subject of this SDS, which were not explicitly specified in the SDS. Individual professional consultation should be received, and specific safety instructions should be read prior to any mixing of the substance which is the subject of this SDS with other substances and the stated in this SDS does not cover the entire safety instructions relating to mixing the substance which is the subject of this SDS with other substances and does not constitute a replacement to obtaining specific consultation as stated. Hazmat, Ltd. is not liable to any damage and/ or any loss, financial or otherwise, and will isuse/ misinterpretation of the information within the document. Any question arising regarding the use of the SDS should be directed to Hazmat, Ltd., 19 Ha'Melacha st. Rosh Ha'Ayin, Tel: +972-3-9037141, fax: +972-3-9032717, email: hazmat@hazmat.co.il.

The information detailed in this SDS was prepared by Hazmat, Ltd. for the orderer of the SDS and is for their use only. The contents of this SDS is the property of Hazmat, Ltd. only and it is strictly prohibited to copy, modify, edit, distribute, sell or take any other action which involves infringement of Hazmat's copyrights without the prior written consent of Hazmat, Ltd.